

## Metric Weight Tolerances

Denomination Metric	ANSI/ASTM E 617			
	Class 1	Class 2	Class 3	Class 4
	mg	mg	mg	g & mg
5000 kg				100 g
3000 kg				60
2000 kg				40
1000 kg				20
500 kg				10
300 kg				6.0
200 kg				4.0
100 kg				2.0
50 kg		125	250	500
30 kg	45	75	150	300
25 kg	37	62	125	250
20 kg	30	50	100	200
10 kg	15	25	50	100
5 kg	7	12	25	50
3 kg	4.5	7.5	15	30
2 kg	3	5.0	10	20
1 kg	1.5	2.5	5.0	10
500 g	0.7	1.2	2.5	5.0
300 g	0.45	0.75	1.5	3.0
200 g	0.3	0.50	1.0	2.0
100 g	0.15	0.25	0.50	1.0

Denomination Metric	ANSI/ASTM E 617			
	Class 1	Class 2	Class 3	Class 4
	mg	mg	mg	g & mg
2.0 g				
50 g	0.07	0.12	0.60	1.2
30 g	0.044	0.074	0.45	0.90
20 g			0.35	0.70
10 g	0.03	0.050	0.25	0.50
5 g		0.034	0.18	0.36
3 g	0.02			0.15
2 g				0.13
1 g				0.10
500 mg		0.010	0.025	0.080
300 mg				0.070
200 mg				0.060
100 mg				0.050
50 mg			0.014	0.042
30 mg	0.005			0.038
20 mg				0.035
10 mg				0.030
5 mg				0.028
3 mg				0.026
2 mg				0.025
1 mg			0.005	

Terms and Conditions of Sale

Terms—Net 30 days, F.O.B. Factory

Minimum order \$50.00